



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: ADMINISTRATIVE CENTER FOR PATENTS AND TRADEMARKS
Washington, DC 20593
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/676,053	09/28/2000	James Oliver Dolly	17044DIV1 (AP)	2480

7590 09/18/2002
Carlos A Fisher
Allergan Inc
T2-7H
2525 Dupont Drive
Irvine, CA 92612

EXAMINER

ZEMAN, ROBERT A

ART UNIT	PAPER NUMBER
----------	--------------

2645

DATE MAILED: 09/18/2002

9

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.
09/676,053			

EXAMINER	
ART UNIT	PAPER NUMBER

DATE MAILED:

Please find below a communication from the **EXAMINER** in charge of this application

Commissioner of Patents

The communication filed on 2-26-02 is not fully responsive to the communication mailed 12-13-01 for the reason(s) set forth on the attached Notice to Comply With the Sequence Rules or CRF Diskette Problem Report.

If a complete response has not been submitted by the time the shortened statutory period for response set in the communication mailed has expired, this application will become abandoned unless applicant corrects the deficiency and obtains an extension of time under 37 C.F.R. 1.136. In no case may an applicant extend the period for response beyond the six month statutory period.

Any inquiry concerning this communication should be directed to Examiner Robert A. Zeman, Art Unit 1645, whose telephone number is 703-308-7991.

Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist whose telephone number is (703) 308-0196.

**NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINING
NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES**

The nucleotide and/or amino acid sequence disclosure contained in this application does not comply with the requirements for such a disclosure as set forth in 37 C.F.R. 1.821 - 1.825 for the following reason(s)

- ☒ 1. This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applicant's attention is directed to these regulations, published at 1114 OG 29, May 15, 1990 and at 55 FR 18230, May 1, 1990.
- ☐ 2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequence Listing" as required by 37 C.F.R. 1.821(c).
- ☐ 3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 C.F.R. 1.821(e).
- ☐ 4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 C.F.R. 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing."
- ☒ 5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A Substitute computer readable form must be submitted as required by 37 C.F.R. 1.825(d).
- ☐ 6. The paper copy of the "Sequence Listing" is not the same as the computer readable form of the "Sequence Listing" as required by 37 C.F.R. 1.821(e).
- ☒ 7. Other: the drawings contain sequences that are not identified by the requisite SEQ ID NOs..

Applicant Must Provide:

- ☒ An initial or substitute computer readable form (CRF) copy of the "Sequence Listing".
- ☐ An initial or substitute paper copy of the "Sequence Listing", as well as an amendment directing its entry into the specification.
- ☒ A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d).

For questions regarding compliance to these requirements, please contact:

For Rules Interpretation, call (703) 308-4216

For CRF Submission Help, call (703) 308-4212

For PatentIn software help, call (703) 308-6856

PLEASE RETURN A COPY OF THIS NOTICE WITH YOUR RESPONSE

C:\WINDOWS>A:

General failure reading drive A
Abort, Retry, Fail?F

General failure reading drive A
Abort, Retry, Fail?F
Current drive is no longer valid>

← Onscreen message
when STK PC tried
to read submitted
disk